Public Services Committee

Meeting Agenda

March 22, 2021 4:30 p.m.

EMT Training Room – Thurber Community Building

- 1. March 22, 2021 /4:30 p.m. EMT Training Room -Thurber Community Building.
- 2. Consider placement of radar speed sign.

Members Present: Councilors John McBroom & Pam Bluhm.

Members Absent: None.

Others Present: Rocky Burnett, Luke Thieke, Shane Fox and Joel Young.

Fire Radios: Luke Thieke, Fire Chief, presented price information for two hand-held radios. He explained that the Department's Capital Plan provides for the replacement of two radios each year. The cost, including the cost of deploying them, is \$7,752.40. Thieke said that they are also securing the cost to replace three sets of turn-out gear, which is expected to cost approximately \$12,000. The Committee recommended that the city council approve these purchases.

Ambulance Annual Report: Rocky Burnett provided an overview of the ambulance department's activity over the course of 2020. He reported that four new members joined the crew while seven others resigned for various reasons. Burnett reported that they responded to 362 calls and finished the year in a positive financial position.

Public Nuisance Enforcement: The committee discussed the past practice of enforcing public nuisances within the City. Young explained that the ordinance states that the police department is to take the lead on nuisance enforcement but it has been the practice of the city to have the City Clerk's office enforce all public nuisances except for abandoned vehicles and animals at large. It was noted that it might be more effective to have enforcement come from a department that is patrolling the community regularly with people who are trained to enforce ordinances. After a fair amount of discussion, it was determined that the police department would take the lead in public nuisance enforcement from this point forward.

INTEROFFICE MEMORANDUM

TO:

Public Services Committee

FROM:

Brian Burkholder, SCS

SUBJECT:

Install Radar Sign

DATE:

2/3/2021

Action Requested: To consider the new install of the radar sign received from Fillmore County on Highway 52 north bound at the 30-mph zone. If approved, to move forward with the application process with MN Dot.


Background: Last Fall, we had received a new radar sign through a grant from Fillmore County and is required to be installed in Fillmore County.

With discussions with Shane, we discussed the area of Highway 52 either at the 45-mph zone or at the 30-mph zone where there have been past complaints.

I have been in contact with Mn Dot to go through the permit process for approval on Highway 52 if that is the location that is agreed upon.

I have attached the location, the permit and a sample of a previous city's application. I personally think that this location would be the best fit due to past complaints.

Thanks for your time, Brian Burkholder



INSTRUCTIONS FOR COMPLETING APPLICATION FOR MISCELLANEOUS WORK ON TRUNK HIGHWAY RIGHT OF WAY (FORM 1723)

Form 1723 is for miscellaneous minor work activities on trunk highway right of way. It may be used for installation of utility customer service line connections that do not cross or parallel the roadway within the trunk highway right of way. Form 1723 is also used for repair and maintenance of existing utility facilities, installing miscellaneous guy wires and anchors, or tree trimming around utility lines. Form 1723 may also be used to place temporary obstructions on the right of way, to perform temporary relocations to accommodate construction projects, and to place objects on the trunk highway right of way under Minn. Statutes §§160.27 or 173.025.

Fill Out This Form Completely

Print (in ink) or type all information. An incomplete application will delay processing. The form can be filled out online and then printed at: http://www.dot.state.mn.us/utility/forms.html

- Be sure to sign it at the bottom. Submit the original form only.
- FAXES ARE UNACCEPTABLE
 - Complete each item on the application. Be specific. If any item does not apply, print "N.A." in the blank.
 - Provide a detailed location of proposed work and give reference to nearest cross streets.
- Include plans of proposed work along with detailed drawings showing type and location of work in relation to MnDOT right of way, on no larger than 11x17 sheets
- Detail any type of traffic interference this work may require and submit a traffic control plan. Detouring of the traffic from
 the trunk highway will not be permitted, except by special arrangements with the MnDOT District Permit office. All costs
 involved in the re-routing of traffic including, but not limited to, furnishing barricades, installation or rearrangement of traffic
 control signs, pavement marking and special flag person services will be charged to the applicant at rates set by MnDOT for
 the equipment, labor, and materials used.
- Indicate type, kind and size of any object to be placed on trunk highway right of way. Indicate the method of installation and equipment to be used for excavation and compaction.

Submit the complete, signed and dated application (all pages of the form) with the required plans to the MnDOT District Permit office. Contacts and addresses can be found at: http://www.dot.state.mn.us/utility/districtcontacts.html

After the Miscellaneous Work Permit has been approved

The applicant will be notified and a security deposit will be required. The permit will have Special Provisions and drawings indicating the construction requirements. Compliance with these instructions during the work operations is mandatory. All Permittees are responsible for the entire costs of their work activities, including proper traffic control. Work cannot be started until all permit and deposit requirements are met and you have received the approved permit.

Security Deposit

A security deposit is required for permits that authorize work in trunk highway right of way to ensure that work is completed to MnDOT's satisfaction. The actual amount required will depend on the specific situation. The District Permit Section will determine the actual amount and type of deposit to be submitted based on the specific situation. Deposits may be in the form of a certified check, cashier's check, or surety bond made payable to "State of Minnesota, Commissioner of Transportation." Deposits must be irrevocable and cannot expire. A permit will not be issued until the required deposit is received.

After construction is completed

The applicant must notify the MnDOT District Permit Office for final inspection. If the construction and all other related work is satisfactory and the turf items are re-established, the deposit will be returned to the applicant. The approved permit is a legal document and should be retained with other valuable papers.

Form 1723 (6-26-2013)



Document Mana	gement System#		
District	Permit #		
C.S		_T.H	
R.P		DA COMO DESCRIPTION LIGHT	

TRANSPORTATION			District	Permit #		
APPLICATION FOR MISCELLANEOUS WORK ON			C.S	T.H		
TRUNK HIGH	OF WAY	R.P.				
a				(THIS SECTION FOR MnDOT OFFICE USE ONLY.)		
ATTAC	TH A SKETCH OF T	THE PROPOSED WORK ARE	A AND RELAT	TION TO TRUNK HIGHWAY. MENT OF TRANSPORTATION.		
APPLICANT	TO DISTRICT PER	TELEPHONE		SS (Street, City, State, Zip)		
I I I I I I I I I I I I I I I I I I I			17.000.00.000			
BARTY BEDEODMING WORK		TELEDHONE	ADDDE	SS (Street, City, State, Zip)		
PARTY PERFORMING WORK		TELEPHONE	ADDRE	SS (Sileet, City, State, Zip)		
LOCATION OF PROPOSED WORK	(City/Township)	(County) (Distance)	(N-S-E-W)	SPECIFIC ROAD INTERSECTION OR LANDMARK		
Highway in		N	liles	of		
WILL THIS FACILITY BE WITHIN T NATURE OF WORK	RIBAL LANDS?	☐ Yes ☐ No IF YES, WH	ICH ONE?			
NATURE OF WORK						
SURFACE TO BE DISTURBED (Che	eck Appropriate Boxe	es)				
☐ Roadway ☐ Shoulder ☐ Concret ☐ Other (explain)	e	☐ Gravel ☐ Turf Only				
DEPTH OF EXCAVATION BELOW	NUMBER &	SIZE OF EXCAVATIONS	METHO	OD OF INSTALLATION/CONSTRUCTION		
SURFACE						
WORK TO START ON OR AFTER	DATE WOR	RK TO BE COMPLETED BY	/ ICTDAI	FFIC DETOUR NECESSARY? Yes No		
WORK TO START ON OR AFTER	DATE WOR	K TO BE COMPLETED B	IS TRAI	FIG DETOUR NECESSART.		
			(IF YES,	, TRAFFIC CONTROL PLAN IS REQUIRED.)		
	APPLICANT	Γ'S ACCEPTANCE, WAIVE	R AND INDE	MNIFICATION		
				conditions and special provisions of this permit. The applicantion has been approved and the permit issued.		
S. S.		- 7.7				
The applicant is aware of circumstances or death, and the applicant assumes the				ed with this application that could result in injury, loss, damag		
#####################################				5		
The applicant also understands that this	permit may also be	subject to the approval of lo	cal road autho	orities having joint supervision over said street or highway, an		
may be subject to applicant's complian agencies.	ce with the rules a	nd regulations of the Minne	sota Environm	nental Quality Board and/or any other affected governmenta		
The undersigned applicant expressly agr	ees that except for n	regligent acts of the State, its	agents and emp nd all claims fo	ployees, the applicant or his/her agents or contractor shall or damages, actions or causes of action arising out of the work		
to be done in connection with this applica		projecs, narmiess from any a	nu an cianns io	ri damages, actions of causes of action arising out of the work		
NAME AND TITLE		EM	EMAIL ADDRESS			
Later Specialists						
DATE		and the second contract of the second	NATURE	503 PE 100 COM		
		DO NOT WRITE BELOW		AGEINE AND DEDIVITATION DED		
PERMIT NOT VALID UNLESS BEARING AUTHORIZED MnDOT SIGNATURE AND PERMIT NUMBER						
AUTHORIZATION OF PERMIT						
It is expressly understood that this permit is conditioned upon restoration of the trunk highway right-of-way to its original condition or to a satisfactory condition. In consideration of the applicant's agreement to comply in all respects with the applicable laws and the conditions of the Commissioner of Transportation pertaining to						
this permit, permission is hereby granted for the work to be performed as described in the above application, said work to be performed in accordance with the						
following standard conditions and specia						
	SEE ATTACHE	D STANDARD CONDITION	NS AND SPEC	IAL PROVISIONS		
		Authorized MnDOT	Signature	Date of Authorized Signature		
DISTRIBUTION	DEPOSIT REQUIREMENTS			DEPOSIT TYPE		
Original to Area Maintenance Engineer	☐ No Deposit Required			Cashier's Check #		
Applicant	☐ Deposit Required in the Amount of \$			Certified Check #		
Subarea Supervisor	Date Deposit Received			Money Order #		
240 0 000 NOTICES 1000 00	The state of the s					
Roadway Regulations Supervisor	Roadway Regulations Supervisor Deposit to be returned upon satisfactory completion of all work Bond #					
DATE WORK COMPLETED (The date when the work is completed must be reported to the MnDOT District Permits Office)						

STANDARD CONDITIONS OF MISCELLANEOUS WORK PERMIT

- 1. The permit holder must comply with all applicable laws and regulations, including Worker's Compensation laws.
- 2. If work to be done lies within a city or platted town, permission must also be obtained from such city or town.
- 3. Any permanent signs or permanent traffic barriers (including crash cushions) installed on the State Highway system must be deemed crashworthy under the American Association of State Highway and Transportation Officials (AASHTO) "Manual for Assessing Safety Hardware, 2016 (MASH-16)". Where work on or near the traveled roadway is necessary, proper traffic signs, channelizing devices, warning lights, and barricades shall be erected to protect traffic, employees, and pedestrians. All temporary traffic control devices and methods shall conform to the Minnesota Field Manual on Temporary Traffic Control Zone Layouts, Minnesota Manual on Uniform Traffic Control Devices (MMUTCD), Minnesota Standard Signs and Markings Manual, and the appropriate provisions of Standard Specification 1710. All temporary traffic control devices shall be deemed crashworthy under the American Association of State Highway and Transportation Officials (AASHTO) "Manual for Assessing Safety Hardware, 2016 (MASH-16)" with exceptions as noted under MnDOT Technical Memorandum No. 19-03-T-01 Crashworthy Requirements for Temporary Traffic Control Devices. (See memo at: http://dotapp7.dot.state.mn.us/edms/download?docld=2434220)
- 4. Unless adequately protected by a traffic barrier, there shall be no work within the clear zone, nor shall pipe materials, equipment or other objects be stored within the clear zone. If temporary traffic barrier is used, it will be placed according to the "MnDOT Temporary Barrier Guidance Manual" (December 2018). (See website at: www.dot.state.mn.us/trafficeng/workzone/doc/Temporary%20Barrier%20Guidance%20Manual%20181129.pdf) Any temporary traffic barrier (including crash cushions) must be deemed crashworthy under MASH-16.
- 5. Any person acting as a Flagger for permitted work shall have attended a training session taught by a MnDOT Qualified Flagger Trainer within the twelve months immediately preceding the start date of all flagging activity. A Flagger shall receive a Flagger Qualification Card, signed by a MnDOT Qualified Flagger Trainer, upon successful completion of this training. During all flagging activity, a Flagger must carry a signed Flagger Qualification Card on that Flagger's person and be in possession of a current Minnesota Flagging Handbook. The Minnesota Flagging Handbook is available from MnDOT Qualified Flagger Trainers or from a MnDOT District Office.
- Excavations must be cribbed when necessary, depending upon type of soil, in order to prevent cave-ins. All excavations, trenching and/or jacking and boring pits shall be shored or sloped in accordance with OSHA requirements.
- No guys, stays, or any structures are to be attached to trees on trunk highway right of way.
- 8. No poles, anchors, anchor braces, or other construction shall be placed on the roadway shoulder or within the prescribed clear
- 9. Installation of pipe under concrete or bituminous pavements shall be done by jacking or boring or other approved methods.
- 10. When open trenching or excavating in existing roadways, all subgrade, base, and surfacing materials shall be replaced with the same type, depth, and density of materials which were removed, unless approved by the Area Maintenance Engineer.
- 11. All work that involves trenching, backfill, or compaction must be done to MnDOT's Standard Specifications for Construction. Depending on the construction work to be performed, use of one or more of the following specifications may be needed: Excavation and Embankment 2105, Aggregate Base 2211, Aggregate Shouldering 2221, or Structural Excavation and Backfills 2451, Subgrade Preparation 2112.
- 12. Compaction methods must be approved in advance by the District Permit Office
- 13. If pavement or roadway is damaged, same shall be restored to a condition as good as or better than the original condition.
- 14. All pavements shall be replaced in accordance with State specifications.
- 15. If settlement occurs or excavation caves in so that replaced materials settle (bituminous mat or concrete base), same shall be restored to a condition as good as or better than the original condition.
- 16. No lugs shall be used on equipment traversing the road which will damage the road surface.
- 17. No driving onto highway from ditch or driving on shoulders will be permitted where damage will occur.
- 18. No foreign material such as dirt, gravel, or bituminous material shall be deposited or left on the road during any construction activities.
- 19. Roadside shall be cleaned to original status upon completion of work.
- 20. Underground construction must be so constructed as not to harm or unnecessarily destroy the root growth of specimen trees.
- 21. Cutting and trimming of trees within the right of way and removal of resulting stumps require prior approval of the Area Maintenance Engineer or his authorized representative.
- 22. If MnDOT shall make any improvements or changes upon, over, under, or along the trunk highway, then and in every case the applicant herein named shall after notice from MnDOT proceed to alter, change, vacate, or remove from trunk highway right of way said works necessary to conform with said changes without cost whatsoever to the State of Minnesota.
- 23. After work on a project is completed, the permit holder must notify the Area Maintenance Engineer or his authorized representative that such work has been completed and is ready for final inspection and acceptance by MnDOT.

Form 1723 (6-26-2013)				Document Management System #			
MININESOTA DEPARTMENT OF TRANSPORTATION							
MINNESOTA DEPARTMENT OF TRANSPORTATION APPLICATION FOR MISCELLANEOUS WORK ON				District Permit #			
TRUNK HICHWAY RIGHT OF WAY				C.S		T.H	
OF TRIME			OF TRANS	R.P	emerica :	SECTION FOR MnDOT OFFICE USE ONLY.)	
ATTAC	TH A SKETCH OF T	HE PROPOSED WOR	K AREA A	in the same of the	_	TO TRUNK HIGHWAY.	
SUBMIT		RMIT OFFICE OF MI		DEPARTA	MENT (OF TRANSPORTATION.	
APPLICANT		TELEPHONE			ADDRESS (Street, City, State, Zip) 112 Grand Ave East, Grand Meadow, MN 55936		
City of Grand Meadow		507-754-5280		112 012	iiiu Av	e Last, Grand Meadow, Mily 33330	
PARTY PERFORMING WORK		11			DRESS (Street, City, State, Zip) Grand Ave East, Grand Meadow, MN 55936		
City of Grand Meadow		507-754-5280		112 Gra			
LOCATION OF PROPOSED WORK (City/Township) (Coun		(County) (Dista	ance)	(N-S-E-W)		SPECIFIC ROAD INTERSECTION OR LANDMARK	
Highway 16 Grand Meadow	Mower	0.3	Miles	East		0.3 miles east & west of Th 16 & CSAH 8 intersection	
WILL THIS FACILITY BE WITHIN T	RIBAL LANDS?	☐ Yes ■ No IF YE	s, which	ONE?			
NATURE OF WORK							
Installation of Dynamic Speed Disp	lay adjacent to th	e 45 MPH speed lir	mit signs o	on EB & \	NB TI	1 16 in Grand Meadow.	
SURFACE TO BE DISTURBED (Ch.	eck Appropriate Box	es)					
☐ Roadway ☐ Shoulder ☐ Concret	e Bituminous	Gravel Turf	Only				
DEPTH OF EXCAVATION BELOW	NUMBER &	SIZE OF EXCAVAT	IONS			INSTALLATION/CONSTRUCTION	
SURFACE	(* -			Posts w	ill be d	riven, no excavation required	
WORK TO START ON OR AFTER	WORK TO	BE COMPLETED BY	•	IS TRAF	FIC D	ETOUR NECESSARY? Yes No	
8/1/2016	12/30/2016			OF VES.	TRAF	FIC CONTROL PLAN IS REQUIRED.)	
	APPLICANT	I'S ACCEPTANCE, W	VAIVER AT		CARGO NA		
The undersigned applicant hereby agree	es to comply with a	pplicable statutes, rule	s, and the	standard c	onditio	ons and special provisions of this permit. The applicant	
understands and agrees that no work in	connection with this	application will be sta	rted until t	he applica	tion ha	s been approved and the permit issued.	
						this application that could result in injury, loss, damage	
or death, and the applicant assumes the	risk of such circums	tances, dangers and ha	ızards, whe	ther reaso	nably f	oreseeable or not.	
						aving joint supervision over said street or highway, and	
may be subject to applicant's complian agencies.	ce with the rules a	nd regulations of the	Minnesota	Environm	ental (Quality Board and/or any other affected governmental	
•							
						the applicant or his/her agents or contractor shall ges, actions or causes of action arising out of the work	
to be done in connection with this applica		proyects, narriness troni	any anu ai	i ciaims to	. Gallia	ges, actions of causes of action arising out of the work	
NAME AND TITLE EMAI				ADDRESS			
Sand _y Elliot } city			cityofgm	fgm@hmtel.com			
-1 1					1	1	
DATE 7/11/16			SIGNAT	URE X	San	Jullatt	
DO NOT WRITE BELOW THIS LINE							
PERMIT NOT VALID UNLESS BEARING AUTHORIZED MADOT SIGNATURE AND PERMIT NUMBER							
AUTHORIZATION OF PERMIT							
It is expressly understood that this permit is conditioned upon restoration of the trunk highway right-of-way to its original condition or to a satisfactory condition. In consideration of the applicant's agreement to comply in all respects with the applicable laws and the conditions of the Commissioner of Transportation pertaining to							
this permit, permission is hereby granted	for the work to be					id work to be performed in accordance with the	
following standard conditions and special provisions:							
SEE ATTACHED STANDARD CONDITIONS AND SPECIAL PROVISIONS							
Date All Work To Be Completed By Authorize		Authorized Mr	DOT Signa	ture		Date of Authorized Signature	
DISTRIBUTION		DEPOSIT REQUIREMENTS				DEPOSIT TYPE	
Original to Area Maintenance Engineer	☐ No Deposit Re	No Deposit Required		Cashier's Check #			
Applicant	☐ Deposit Requir	Deposit Required in the Amount of \$					
Subarea Supervisor		ate Deposit Received		Money Order #			
Roadway Regulations Supervisor	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	Deposit to be returned upon satisfactory completion of all wor					
						D. Secure of the Anatom position and whether their particles	
DATE WORK COMPLETED (The date when the work is completed must be reported to the MnDOT District Permits Office)							



City of Grand Meadow

Grand Meadow, Minnesota 55936 Phone 507-754-5280 • Fax 507-754-7280

RESOLUTION #2016-0711 A RESOLUTION REQUESTING DYNAMIC SPEED DISPLAY SIGNS ON MN HIGHWAY 16

WHEREAS, new dynamic speed display signs require approval from the Minnesota Department of Transportation (MNDOT); and

WHEREAS, the City has identified the reduced speed along Highway 16 on both the east and west locations with high traffic speed; and

WHEREAS, the City wishes to inform users of their speed; and

WHEREAS, the City is formally requesting MNDOT approve the installation of the dynamic speed display signs on the eastbound and westbound Highway 16; and

WHEREAS, the City acknowledges if the requested signs are approved the City is responsible for purchasing, installation, and maintenance of sign system; and

NOW, THEREFORE, BE IT RESOLVED BY THE CITY OF GRAND MEADOW, MINNESOTA:

The City formally request the installation of dynamic speed display signs as listed above and acknowledges it is responsible for purchasing, installation, and maintenance of dynamic speed display signs.

ADOPTED by the City of CYang Meadlaw	thisthisday of2016
	Mayor
Filed and attested this day of day of City Clerk	, 2016






Google earth

feet 10 meters 4





Google earth

feet ______10 meters